

The guides below indicate the variables available when deep-linking to ebookers.com.

## FLIGHTS

AIR	required?	description/values
type	yes	air
triptype	yes	roundtrip oneway multi
origin	yes	origin iata code, eg: LHR
dest	yes	destination iata code, eg: LHR
departdate	yes	depart date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
returndate	no (yes for r/t)	return date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
adults	no	number of adults
children	no	number of children, note: childAges<n> must be entered if nonzero
childAges<n>	yes, if children > 0	age of each child entered in "children", eg childAges1=2 for a two-year old, eg: <ul style="list-style-type: none"> <li>• "Under 2 (in lap)"</li> <li>• "Under 2 (in seat)"</li> <li>• 0</li> <li>• 1</li> <li>• 2 (and so on, up to 17...)</li> </ul>
seniors	no	number of seniors
cabin	no	cabin class code <ul style="list-style-type: none"> <li>• B - business</li> <li>• C - coach</li> <li>• F - first</li> <li>• E - enhanced economy</li> </ul>
carrier1	no	carrier code to filter the search (carrier2 and carrier3 are also allowed)
departspan	yes	requested depart time <ul style="list-style-type: none"> <li>• Anytime</li> <li>• 1am, 2am, ETC</li> <li>• 12a-9a</li> <li>• 6a-noon</li> <li>• 10a-2p</li> <li>• noon-5p</li> <li>• Noon</li> <li>• 4p-8p</li> <li>• 6p-12a</li> <li>• Midnight</li> </ul>
returnspan	no	requested return time <ul style="list-style-type: none"> <li>• Anytime</li> <li>• 1am, 2am, ETC</li> </ul>

		<ul style="list-style-type: none"> <li>• 12a-9a</li> <li>• 6a-noon</li> <li>• 10a-2p</li> <li>• noon-5p</li> <li>• Noon</li> <li>• 4p-8p</li> <li>• 6p-12a</li> <li>• Midnight</li> </ul>
departarrive	no	depart or arrive (applied to departspan/returnspan)
alliance	no	alliance code
nonstop	no	if "true", prefer non-stop flights

Note: for multi-air searches, append a slice-number to these parameters:  
 origin, dest, departdate, departspan, eg: origin1=ORD, origin2=ATL, origin3=PAR

URL:

<http://www.ebookers.com/partner/offsitesearch?type=air&triptype=roundtrip&origin=DUB&dest=Paris&adults=1&departdate=07-09-25&returndate=07-10-01&departspan=Anytime&returnspan=Anytime>

**HOTELS:**

HOTEL	required?	description/values
type	yes	hotel
amenity1	no	amenity code (eg: POOL, ROOM, REST, DISABL, BABY); amenity1 through 5 may be entered)
chain	no	chain code
checkin	yes	checkin date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
checkout	yes	checkout date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
city	no	city name
country	no	country code
guests	yes	number of guests
id	no	hotel id (oneg/master id)
market	no	market location code (iata)
name	no	hotel name
postal	no	postal/zip code
rooms	yes	number of rooms
searchtype	yes	keyword or ?
stars	no	number of hotel stars
stateprovince	no	state or province code

**URL:**

<http://www.ebookers.com/partner/offsite/search?type=hotel&searchtype=address&addressline1=London&country=GB&city=London&guests=1&rooms=1&checkin=07-09-25&checkout=07-09-29>

**CAR:**

CAR	required?	description/values
type	yes	car
air	no	"N" (no air conditioning), "U" (no preference), or "R" (air conditioning)
cartype	no	car type code - NOTE: not supported by cars at this point
discountcode	no	discount code - NOTE: not supported by cars at this point
driversage	no	driver age, eg: 25
dropoff	yes	dropoff location, eg: airport or city iata codes or search string
dropoffdate	yes	dropoff date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
dropofftime	yes	dropoff time; 1AM, 2AM, etc
dropofftype	no	type of search for the dropoff location value, eg: AIRPORT, CITY, or ADDRESS
dropoffcity	no	only used when doing address dropoff searches
dropoffstate	no	state or province code only used when doing address dropoff searches
dropoffcountry	no	only used when doing address dropoff searches
dropoffzip	no	only used when doing address dropoff searches
pickup	yes	pickup location, eg: airport or city iata codes or search string
pickupdate	yes	pickup date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
pickuptime	yes	pickup time ; 1AM, 2AM, etc
pickuptype	yes	type of search for the pickup location value, eg: AIRPORT, CITY, or ADDRESS
pickupcity	no	only used when doing address pickup searches
pickupstate	no	state or province code only used when doing address pickup searches
pickupcountry	no	only used when doing address pickup searches
pickupzip	no	only used when doing address pickup searches
rentalcompany	no	requested rental company - NOTE: not supported by cars at

		this point
rentallocation<n>	no	specific rental location code - up to 5 are supported, eg: rentallocation1=foo

URL:

<http://www.ebookers.com/partner/offsitesearch?type=car&pickuptype=AIRPORT&pickup=ORY&pickupdate=2006-12-25&dropofftype=SAME&dropoffdate=2006-12-29&dropofftime=1AM&pickuptime=1AM>

**PACKAGES:**

Packages	required?	description/values
type	yes	aph
guests	yes	number of guests
origin	yes	origin iata code, eg: LHR
dest	yes	destination iata code, eg: LHR
departdate	yes	depart date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
returndate	yes	return date in ISO8601 format, eg: yyyy-mm-dd 2006-12-25
market	yes	market search string

**URL:**

<http://www.ebookers.com/partner/offsite/search?type=aph&searchtype=keyword&market=DUB&guests=1&origin=DUB&dest=MAN&departdate=07-08-26&returndate=07-09-01&departspan=Anytime&returnspan=Anytime>